

## ***ISPOCAN SPRAY 15 Aerosol***

### **DESCRIPTION**

**Ispocan Spray 15** is a sprayable aerosol adhesive which has a variety of uses including the bonding of fabrics, paper and card to a variety of base materials including foam, metal and wood. It has a synthetic polymer solution blended with a suitable LPG propellant to give an easy spray aerosol with a fine mist pattern that does not 'show through' when bonding lightweight fabric or paper .

### **ADVANTAGES**

- Fine, uniform spray
- Fast easy application
- High solids
- High coverage
- Fast aggressive tack
- A temporary bond may be achieved by spraying one surface only

### **INSTRUCTIONS**

1. Test a small area of the substrate for compatibility before use.
2. Make sure the surfaces of the substrate are dry, clean and free from dirt and grease before application.
3. For best results the temperature of the substrates should be 18oC.
4. Shake can well before use.
5. Spray adhesive from 6" – 8" away onto both surfaces.
6. Apply adhesive to both substrates, for a temporary bond apply to one side.
7. Invert the can and spray until clear of adhesive to prolong the life of the actuator

### **TECHNICAL DATA**

<b>Property</b>	<b>Ispocan Spray 15</b>
Solvent	Petroleum Distillate/ cyclohexane
Propellant	Hydrocarbon
Solids Content (approx.)	25%
Spray Pattern	Particle
Colour	Pale Cream
Heat Resistance	50°C
Water Resistance	Good

Solvent/Oil Resistance	Poor
VOC	538g/l

## STORAGE AND SHELF LIFE

12 months when stored between 5° and 25° in clean dry shaded conditions in original unopened containers.

## RESTRICTIONS

**Ispocan Spray 15** is not suitable for use with expanded polystyrene foam, for bonding laminates, or where a high degree of temperature resistance is required.

## GENERAL INFORMATION

The information contained in this technical data sheet is to the best of our knowledge correct, being based on our knowledge and experience to date and cannot be used as a guarantee, due to the various different materials present on the market and the fact that the application conditions are not under our direct control and supervision. ISPO France, however, guarantees constant product quality. ISPO France has the right to modify or update this technical data sheet according to requirements. Customers are kindly requested to verify that they are in possession of the latest version.

**ALWAYS CONSULT THE SAFETY DATA SHEETS BEFORE USING THE PRODUCT**